



नेपाल सरकार
कृषि, वन तथा पर्यावरण मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली




फोन नं. ०११-४२२९९७

इमेल: pmamp.piu.kailali@gmail.com

वेबसाइट: www.piukailali.pmamp.gov.np

सूचना नं: १२

मिति: २०८३/०६/१४




दररेट पेश गर्ने सम्बन्धी सूचना

यस राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम, कार्यक्रम कार्यान्वयन एकाइ कैलालीको आ.व. २०८३/०८४ को स्वीकृत वार्षिक कार्यक्रमहरू अन्तर्गत सिचाई पूर्वाधार निर्माण तथा मर्मत सम्भार (स्यालो ट्युबवेल जडान) कार्यक्रम सञ्चालनको लागि विभिन्न स्यालो ट्युबवेल जडान सामग्री/उपकरणहरूको दररेट निर्धारण प्रयोजनार्थ यसै सूचनासँग संलग्न सूची अनुसारका ट्युबवेल जडान सामग्री/उपकरणहरूको प्रचलित दररेट आवश्यक परेकोले ईच्छुक आपूर्तिकर्ताहरूले सूचना प्रकाशन भएको मितिले ३०(तिस) दिन भित्र अर्थात् मिति २०८३/०७/१२ गते सम्म कार्यालय समय भित्र कार्यालयले तयार गरेको ढाँचामा आवश्यक कागजात सहित बन्द खाममा कैलाली जिल्ला भित्र उपलब्ध गराउन सकिने दररेट पेश गर्न हुन यो सूचना प्रकाशित गरिएको छ। दररेट सम्बन्धी फर्मेट कार्यक्रम कार्यान्वयन एकाइ, धनगढी कार्यालयबाट प्राप्त गर्न सकिने छ वा कार्यालयको वेबसाइट www.piukailali.pmamp.gov.np वा तल सूचनामा दिइएको QR Code Scan बाट डाउनलोड गर्न सकिनेछ।

दररेट पेश गर्दा संलग्न गर्ने कागजजातहरू:

- दररेट पेश गरिएको सम्बन्धी निवेदन।
- नविकरण गरिएको फर्म दर्ता र प्यान/भ्याट (PAN/VAT) दर्ता प्रमाणपत्रको प्रतिलिपि।
- कर चुक्ता प्रमाणपत्रको प्रतिलिपि।
- कार्यालयले तयार पारेको ढाँचामा पूर्ण रुपले भरिएको फारम।
- कालो सूचिमा नपरेको स्व-घोषणा पत्र।

नोट:- आवेदनकर्ताले स्यालो ट्युबवेल जडानमा प्रयोग हुने सामग्रीहरूको विनिर्देशन (स्पेसिफिकेसन) अनिवार्य रुपमा लेखी कैलाली जिल्ला भरी जुन सुकै स्थानमा पूरा आर्थिक वर्ष भरी उपलब्ध गराउन सकिने दररेट पेश गर्नु पर्नेछ।



२१/०६

सन्जु उपाध्याय रिमाल
नियन्त्रक/प्रमुख अधिकारी


“स्वदेशी उत्पादनमा लगानी
आत्मनिर्भर कृषिको थालनी”

“Invest in Domestic Production
Path to Self-Sufficiency”



सिचाई पूर्वाधार निर्माण तथा मर्मति सम्पन्न गर्नगर्त स्थानीय ट्युबेल जडान सामग्री:

क्र.स.	स्थानीय ट्युबेलसँग सम्बन्धित सामग्री	सम्बन्धित विभिन्न सामग्रीहरूको विस्तृत प्राविधिक विवरण (टेबिनकल, लम्बाइको स्पेसिफिकेशन)	आवृत्ति/कलामाट उपलब्ध गराउने सम्बन्धित विभिन्न सामग्रीहरूको विस्तृत प्राविधिक विवरण (टेबिनकल, लम्बाइको स्पेसिफिकेशन)	मूल्यतम प्रति एकाइ मूल्य रु. (कैलाली जिल्लाको उपलब्ध हुने मूल्य मु.ब.क. समावेश गरी)	कैफियत
१	MS Medium Casing Pipe with thread on both sides	OD: 114.30 mm (4"), Weight: Minimum 36 kg per 3 meters, Thickness: Minimum of 4.5 mm	मि.		
२	MS Medium Casing Filter	OD: 114.30 mm (4"), Weight: Minimum 36 kg per 3 meters, Length: 3-meter, Thickness: Minimum of 4.5 mm, With required screen making	संख्या		
३	MS Medium Socket	4" Socket welded with Iron Strips at both ends	संख्या		
४	CI Nipple Flange (in motor connection)	4"x3" Dia. Nipple Flange wt. minimum 2.75 kg	संख्या		
५	CI Nipple Flange (in engine connection)	4"x4" Dia Nipple Flange wt. minimum 2.75 kg (in engine connection)	संख्या		
६	CI Double Flanged Bend (Elbow)	4"x4" Dia Double Flanged Bend (0.15*0.15 m), Weight: Minimum 6 kg	संख्या		
		4"x3" Dia Double Flanged Bend (0.15*0.15 m), Weight: Minimum 6 kg	संख्या		
७	CI Flange	4"x4" Dia Flange, Weight: Minimum 2.75 kg	संख्या		
		4"x3" Dia Flange, Weight: Minimum 2.75 kg	संख्या		
८	MS Nipple	4" Nipple 6" length having thread on both sides	संख्या		
		3" Nipple 6" length having thread on both sides	संख्या		
९	CI Non-Returning Valve (NRV) or Check Valve (CV)	4" Dia Non-Returning Valve or Check Valve, Weight: Minimum 10 kg	संख्या		
१०	Ms Knock	4" Heavy Knock welded with filter, Weight: Minimum 6.5 Kg	संख्या		
११	Nut bolts	6 Pcs Per Kg, Standard	के.जी.		
१२	Suction Hose Pipe	3" Flexible Plasticized PVC Suction hose pipe	मि.		
		4" Flexible Plasticized PVC Suction hose pipe	मि.		
१३	Rubber Packing	4"x4", Rubber	संख्या		
		3"x3", Rubber	संख्या		
१४	Delivery pipe	3" or 4" or 5"	के.जी.		
१५	UPVC pipe (for boring)	110 mm OD Dia. (4") UPVC pipe (2.4-2.5 kg/RM)	मि.		
१६	UPVC ribbed screen filter (for boring)	110 mm OD Dia. (4") UPVC ribbed screen filter (2.4-2.5 kg/RM), 3 meter long	संख्या		



१७	HDPE Pipe	NS, PN-6, 50 mm OD Dia (1 5")	मि.		
		NS, PN-10, 50 mm OD Dia (1 5")	मि.		
		NS, PN-6, 90 mm OD Dia (3")	मि.		
		NS, PN-10, 90 mm OD Dia (3")	मि.		
		NS, PN-6, 114 mm OD Dia (4")	मि.		
		NS, PN-10, 114 mm OD Dia (4")	मि.		
१८	6 Mukhe (T-for boring)	6 Numbers of MS Pipe 1 5" (L=30cm) welded with 4" MS pipe of 0.45m length	संख्या		
१९	5 Mukhe (T-for boring)	5 Numbers of MS Pipe 1 5" (L=30cm) welded with 4" MS pipe of 0.45m length	संख्या		
२०	4 Mukhe (T-for boring)	4 Numbers of MS Pipe 1 5" (L=30cm) welded with 4" MS pipe of 0.45m length	संख्या		
२१	3 Mukhe (T-for boring)	3 Numbers of MS Pipe 1 5" (L=30cm) welded with 4" MS pipe of 0.45m length	संख्या		
२२	Foot valve	4", Iron, PVC, or Cast Iron	संख्या		
२३	MS. Medium Casing Filter with Knock welded (Combined)	OD: 114.30 mm (4"), Weight: Minimum 36 kg per 3 meters, Length: 3-meter, Thickness: Minimum of 4.5 mm, With required screen making with knock of min weight 6.5 Kg welded on filter	संख्या		
२४	Electric Motor (1 HP)	Electric motor suitable for agricultural purpose, Centrifugal Monoblock, 0.75KW for 1 HP, Single Phase 180-220 V, Size(S*D): 40mm*40mm, Head at least 8 m, Accessories: GI bend pipe of each size - 1 pcs and GI bend Nipple of each size - 1 pcs, IS Certified or equivalent	संख्या		
२५	Electric Motor (2 HP)	Electric motor suitable for agricultural purpose, Centrifugal Monoblock, 1.5 KW for 2 HP, Single Phase 180-220 V, Size(S*D): 75 mm*75 mm, Head at least 8 m, Accessories: GI bend pipe of each size - 1 pcs and GI bend Nipple of each size - 1 pcs, IS Certified or equivalent	संख्या		
२६	Electric Motor (2 HP)	Electric motor suitable for agricultural purpose, Centrifugal Monoblock, 1.5 KW for 2 HP, Single Phase 180-220 V, Size(S*D): 80 mm*80 mm, Head at least 8 m, Accessories: GI bend pipe of each size - 1 pcs and GI bend Nipple of each size - 1 pcs, IS Certified or equivalent	संख्या		
२७	Diesel Engine (5 HP)	5 HP Diesel Pumpset suitable for farmers in Terai districts of Nepal, low maintenance and easy access of spare parts Kailali District, Water / Air Cooled Cooling System, Head Range at least 10 m, Speed having atleast 1400 RPM (IS or Equivalent Brand) Size(S*D): 100mm*100mm, Accessories with Mechanical Seal, GI bend Pipe - 1 pcs, GI bend Nipple - 1 pcs, GI Pump Nipple - 1 pcs, Tools 1-set, Starting Handle - 1 pcs, Dhura and wheel (Trolley Wheel set) - 1 set, 1 copy of operators and owners instruction in English/Nepali shall be supplied with each Pumpset			



नेपाल सरकार
कृषि, वन तथा पशुपालन
रोडिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाद, कैलाली

२८	Diesel Engine(8 HP)	8 HP Diesel Pumpset suitable for farmers in Terai districts of Nepal, low maintenance and easy access of spare parts Kailali District , Water / Air Cooled Cooling System, Head Range at least 10 m ,Speed having atleast 1400 RPM (IS or Equivalent Brand) Size(S*D):100mm*100mm, Assoceries with Mechanical Seal, GI bend Pipe - 1 pcs, GI bend Nipple -1 pcs, GI Pump Nipple-1 pcs, Tools 1-set, Starting Handle -1 pcs, Dhura and wheel (Trolley Wheel set)-1 set, 1 copy of operators and owners instruction in English/Nepali shall be supplied with each Pumpset			
----	---------------------	---	--	--	--

(क) आपूर्तिकर्ता /सप्लायर / फर्म सम्बन्धि विवरण:

आपूर्तिकर्ता / सप्लायर / फर्मको नाम:

ठेगाना:

सम्पर्क नं. / इमेल:

फर्म दर्ता मिति:

(ख) आपूर्तिकर्ता / फर्मको आधिकारिक व्यक्तिको विवरण:

आपूर्तिकर्ता / फर्मको आधिकारिक व्यक्तिको नाम:

ठेगाना:

सम्पर्क नं. / इमेल:

(ग) पछिल्लो तिन आर्थिक वर्षको औसत वार्षिक कारोबारको विवरण:

आ.व.	रकम (रु) (अंकमा)	रकम (रु) (अक्षरमा)
२०८२।८९		
२०८१।८०		
२०८०।७९		
औसत वार्षिक कारोबार		

आपूर्तिकर्ता तर्फको तर्फबाट

हस्ताक्षर:-

नाम :

पद:

ठेगाना :

सम्पर्क नं.

छाप: