



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यालय, कैलाली

धनगढी, नेपाल

तपसिल:

(क) मेशिनरी उपकरण सम्बन्धि विस्तृत विवरण

S.N	Name of Machine / Equipment	Unit	Particular	Required Specification	Proposed Specification by Suppliers	Rate of unit item (NRS) including VAT	Remarks
1	Power Tiller	Nos	Make, Model and Brand	Any			
			Country of Manufacturer	Any			
			Engine	Single cylinder			
			4 Stroke Diesel Engine	Direct combustion type			
			Horsepower	18 HP(13.42 kw)			
				20 HP (14.71 kw)			
				22 HP (16.18 Kw)			
			Bath Type	Air clean bath			
			Clutch	Multiple plates			
			Disc	Dry			
			Brake	Hand operated dry brake			
			Nos of Gears	Forward-3, Reverse-1			
			Tilling width	Around 900 mm			
			Ground Clearance	Around 185 mm			
			Nos of blades	24/26/28 or 30			
			Cooling system	Water or condense cooled			
			Fuel Tank Capacity	Minimum 12 liter			
			Lubricating System	Combined pressure and splashing system			
			Starting Method	Manual or electric			
Certification	Respective country verified certification						
Color	Standard						
Accessories	Set of tool box						
Warrenty	Manufacturer shall provide warrenty for atleast one year in manufacturing defects						
2	Mini Tiller-	Nos	Capacity/ Power	not less than 3.7 kw			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kauali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

3.7kw ±0.2 kW(Diesel Engine)			Capacity/ Power	±0.2 kW			
			Rated Speed	3600 rpm or more			
			Engine Type	Single cylinder, Air cooled			
			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Diesel			
			Number of Speed	2 Forward, 1 Reverse			
			Starting System	Manual recoil system			
			Fuel Tank Capacity	2.5 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	24 tynes or more			
			Cultivator Width	1000 mm or more			
			Cultivator Depth	100 mm or more			
3	Mini Tiller- 4.4 kw ±0.2 kw(Diesel Engine)	Nos	Capacity/ Power	not less than 4.4 kw ±0.2 kw			
			Rated Speed	3600 rpm or more			
			Engine Type	Single cylinder, Air cooled			
			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Diesel			
			Number of Speed	2 Forward; 1 Reverse			
			Starting System	Manual recoil system			
			Fuel Tank Capacity	3.5 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	32 tynes or more			
			Cultivator Width	1050 mm or more			
			Cultivator Depth	100 mm or more			
4	Mini Tiller- 6.0 kw ±0.2 kw (Diesel Engine)	Nos	Capacity/ Power	not less than 6.0 kw ±0.2 kw			
			Rated Speed	3600 rpm or more			
			Engine Type	Single cylinder, Air cooled			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन तालिका, कैलाली

धनगढी, नेपाल

			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Diesel			
			Number of Speed	2 Forward, 1 Reverse			
			Starting System	Electric Start or Manual recoil system			
			Fuel Tank Capacity	5 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	40 tynes or more			
			Cultivator Width	1300 mm or more			
			Cultivator Depth	100 mm or more			
5	Mini Tiller- 3.7 kw \pm 0.2 kW (Petrol Engine)	Nos	Capacity/ Power	not less than 3.7 kw \pm 0.2 kW			
			Rated Speed	3200 rpm or more			
			Engine Type	Single cylinder, Air cooled			
			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Petrol			
			Number of Speed	2 Forward, 1 Reverse			
			Starting System	Manual recoil system			
			Fuel Tank Capacity	2.5 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	24 tynes or more			
			Cultivator Width	850 mm or more			
			Cultivator Depth	80 mm or more			
6	Mini Tiller- 4.4 kw \pm 0.2 kW (Petrol Engine)	Nos	Capacity/ Power	not less than 4.4 kw \pm 0.2 kW			
			Rated Speed	3200 rpm or more			
			Engine Type	Single cylinder, Air cooled			
			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Petrol			
			Number of Speed	2 Forward, 1 Reverse			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com

गोविन्दराज जोशी
नरिख कृषि अधिकार



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यालय, प्लक २, कैलाली
धनगढी, नेपाल

धनगढी, नेपाल

			Starting System	Manual recoil system			
			Fuel Tank Capacity	3.0 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	32 tynes or more			
			Cultivator Width	900 mm or more			
			Cultivator Depth	100 mm or more			
7	Mini Tiller- 6.0 kw \pm 0.2 kw (Petrol Engine)	Nos	Capacity/ Power	not less than 6.0 kw \pm 0.2 kw			
			Rated Speed	3300 rpm or more			
			Engine Type	Single cylinder, Air cooled			
			4- Stock engine Injection Type	Direct or Indirect Injection			
			Fuel Used	Petrol			
			Number of Speed	2 Forward, 1 Reverse			
			Starting System	Manual recoil system			
			Fuel Tank Capacity	5 L or more			
			Transmission Type	Full Gear			
			Numbers of Blades	40 tynes or more			
			Cultivator Width	1100 mm or more			
			Cultivator Depth	100 mm or more			
8	Power Sprayer	Nos	Power Source	4- Stroke Petrol engine			
			Rated Power	0.75 kW or higher, 5500 rpm			
			Displacement	30 CC or higher			
			Fuel Tank Capacity	500 ml or higher			
			Flow Rate	5 L/min or above			
			Pressure	1.0-2.0 Mpa			
			Weight	Approx 10 Kg			
			Assoceries	Suction pipe, 50 Ft hose pipe and Spray boom			
9	Earth Auger	Nos	Power Source	Petrol engine, Single Cylinder 2-4 Stroke			
			Starting System	Recoil Starter (manual)			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विज्ञान संस्थान
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

			Power	1.2-2 KW			
			Drill bit	8"-12" MS drill bit			
			Fuel Tank Capacity	500 ml or higher			
10	Combine Rice Mill	Nos	Power Source	Single Phase electric motor			
			Matched Power	2.2 kW or higher			
			Rotating Speed Motor	2800 rpm or higher			
			Rice Mill:				
			Spindle Speed	1200 rpm or higher			
			Noise	< 85 dB(A)			
			Capacity	150 Kg/h or higher			
			Crusher (or Flour Mill):				
			Spindle Speed	4850 rpm			
			Noise	< 85 dB(A)			
Capacity	150 Kg/h or higher						
11	Electric Grain Winnowing Machine	Nos	Power Source	Single Phase electric motor			
			Rated Power	1 hp (0.75 kW) or more			
			Voltage	220 V /50 HZ			
			No of Fan Blades	4 or more			
			Capacity	1000 Kg/ hr or more			
12	Manual Grain Winnowing Machine	Nos	Material	Ms Steel			
			Type	Manually Operated			
			Nos of Blade	Four			
13	Brush Cutter - Petrol Engine	Nos	Type	Back Pack			
			Cylinder displacement	52 CC			
			Engine	Single cylinder, Air cooling and 4- Stroke			
			Fuel Tank	500 ml or more			
			Cutting Blade	Nylon Cutter, 3 tooth metal			
			Rated Speed	6000 rpm or more			
14	Electric Slicing Machine	Nos	Material	Stainless Steel			
			Power	1.5 kW to 2 kW			
			Voltage	220 V, Single Phase			
			Production Efficiency	250 kg/h or more			
15	2 in 1 Sprayer	Nos	Operation	Battery and Manual Both			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाई, कैलाली

धनगढी, नेपाल

			Type	Back mounted			
			Rated Tank Capacity	16 L or more			
			Pump	Mini Diaphragm Pump			
			Battery	12 V, 8 Ah or more (fully enclosed, maintenance free)			
			Charging input	AC 220 V, 50 Hz			
			Output	DC 12 V 1.2 A or more			
			Nozzle flow rate	1.2 L/min or more			
16	Paddy Seed Nursery Machine	Nos	Type	Automatic paddy seed nursery machine suitable for growing paddy seedling for machine transplanting			
			Capacity	450-800 plates per hour			
			Seed Uniformity	95% or more			
			Irrigation Tank	Minimum 45 Liters			
			Seed Tank	30 Lit			
			Soil Tank	45 Lit			
			Operation Power	250 Watt, 220 Volt, 50 Hz			
			Warrenty	At least 1 year service warrenty required			
			Assoceries	Complete Package with necessary tray and installation with regular maintenance and training by technician during operation			
17	Cultivator (Tractor drawn)	Nos	Type	Tractor Drawn, Spring loaded			
			Frame and Shovels	Heavy duty iron			
			Hitching system	3- point linkage			
			Nos of tines	Minimum 9			
			Type of Shovels	Reversible shoe			
			Working width	Minimum 6 feet required			
			Tractor Power	Matching of 40-55 hp			
18	Rotavator (Tractor Drawn)	Nos	Type	Tractor Drawn PTO operated			
			Gear box	Multi speed and side transmission			
			Nos of blades	42-54			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं: ०९१-५२२९९७

इमेल: pnu@pnu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

			Hitching system	3-point linkage			
			Blade Type	J or C or L Type			
			Working width	Overall 6-9 feet required			
			Weight	465 kg or more			
			Tractor Power	Matching of 45-55 hp			
19	Disc harrow	Nos	Type	Mounted, Tractor drawn			
			Frame	90*10 mm			
			Nos of Discs	7-8 blades per group			
			Disc	10 kg, 24" stand bund/SYS, Heavy Duty			
			Weight	Approx. 700-800 kg			
			Tractor Power	Matching of 40-55 hp			
20	MB Plough	Nos	Type	Tractor Drawn, Mounted			
			Linkage system	Heavy duty 3- point linkage			
			Numbers of Furrow	2 to 4			
			Length	1000mm-2300mm			
			Height	800mm-1140mm			
			Frame	72mm*72mm to 100mm*100mm (Square Frame)			
			Draw bar rod	45mm-50mm (solid rod)			
			Tines	28 mm -36 mm Profile Cutting			
			MB thickness	6-8mm			
			Bar Point	32-34			
			Width of cut	610 -910 mm			
			Depth of cut	350 mm (Max)			
			Tractor Power	Matching of 45-55 hp			
21	Fertilizer Spreader Bag	Nos	Operation	Manual			
			Type	Front Mounted			
			Capacity	10-16 Kg			
			Range	10 -30 ft			
22	Laser Land Leveler	Nos	Make ,Model	Any			
			Type	Self Levelled Laser Transmitter			
			Operating Range	minimum operating range of 600m (Diameter)			
			Levelling	±1.5 mm @ 30meter			

[Signature]

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com

राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

			Accuracy			
			Tools	Laser eye receiver for field survey and inset receiver with beam acceptance angle 360 degree		
			Control box	Automatic (Digital or Analog)		
			Bucket Scrapper	Four Tyre		
			Length, width and thickness	2080-2140mm, 580-585mm, 8-9mm respectively		
			Thickness of Blade	12-13mm (min)		
			Assoceries	Rigid mast with arms and height adjustment facility, Automatic double acting hydraulic cylinder assembly, Tripod stand, Grade rod for survey, Cable connectors		
			Battery Supplement	Rechargeable battery with charging cable (min 12 V)		
			Warranty	1 year manufacturing defects		
23	Electric Chaff Cutter	Set	Description	2Hp or more, single phase electric motor, 1440 rpm or more, 160-220 volt, 785 mm overall width, 1400mm overall length, 1390mm overall height, 780mm wheel diameter, weight of 142 kg (including motor), cutting blade of high carbon steel (2-4 Nos), bearing size of 6204 and 4206, 510 mm blade size, B-102 V-Belt Size, Capacity of 360 Kg/Hr		
24	Tractor Operated Chaff Cutter		Make and Model	Any		
			Type	Tractor operated		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९५१७

इमेल: pm.ap.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विभाग
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाई, कैलाली

धनगढी, नेपाल

			Lower frame	made from 125*64*5mm MS channel approx 2100mm length		
			Cutting assembly	min 4 nos. feeding roller and mouth size not less than 275mm		
			Feeding mechanism	Conveyor type		
			Fly wheel	MS iron made with diameter near about 825 mm		
			Cutting blades	4 nos adjustable to 2 and 3 cutting blade carbon steel made, thickness 2.5 mm		
			Gear box	3 forward and 1 reverse and lubricating in all rotating parts and gear chain is covered with 1.6 mm iron sheet		
			Bearing and pedestal	at least 23 nos pedestal in main shaft and 2 nos in lower pully		
			Balance wheel	Cast iron made		
			Driven Pulley	3 grip pulleys made from cast iron		
			Cutting capacity	Dry chaff :2000-2500 kh/hr and green chaff. 2500-3000 kg/hr		
			Chaff Cutting Size	not more than 5-10 mm		
			Rated Speed	540 RPM /1000 RPM		
			Linkage	Tractor trolley hook		
			Safety guard /cover	All movable parts covered by standard thickness MS sheet		
			Weight	Approx. 950 kg		
			Warranty	At least one year of manufacturing defects		
25	Riding type Rice Trans planter	Set	General	Self-Propelled 4 wheeled Rice trans planter riding type suitable agricultural machinery for transplanting of Paddy seedlings.		

[Signature]

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

Name	Any
Model	Any
Country of Manufacturer	Any
Engine	4 Stroke, Diesel Engine, Water Cooled/ Air Cooled
Displacement	≥ 400 cc
Power	≥ 20.9 HP /15.6 kw
Starting system	Self-starter /relevant
Steering System	Hydraulic Power Steering
Transplanting Mechanism	Rotary Type
Lifting Type	Hydraulic System
No of Rows	6 to 8
Row Spacing	200mm-300 mm
Plant to plant spacing	100 mm-240 mm (Adjustable)
Planting depth	5mm - 50 mm
Planting pitch control	Adjustable
Planting Depth Control	Adjustable
Weight	less than 1000 kg
Tires (mm)	Front 600 to 650 & Rare 850 to 900 . Radial Tubeless / Puncture free tyres
Type of Seedling used	Mat type seedling used
No of Seedlings	1 to 8
No of spare Seedlings rack	6
Brakes	Oil Immersed brake/Dry disc Brake
Ground Clearance	High ground clearance preferred, minimum 400 mm.
Fuel Tank capacity	Not less than 15 ltr
Tray Size	30 cm x 60cm

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकीकृत केंद्र, कैलाली

धनगढी, नेपाल

			Instructions	All signs and instructions in the vehicle shall be in English.			
			Manuals/ Catalogue	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle.			
			Tools	A set of tools as required for general maintenance shall be supplied.			
			Color	Standard color			
			Warranty	At least 1 year of manufacturing defects			
			Spare parts	Should be provided as per need			
			Training	7 Days operator and general maintenance training provided to operator			
			Demonstration	In the field as directed by the office			
			Certification	Any test report and respective country verified certification			
26	Cono Weeder	Set	Description	Walking rotors type, manually operated. Min 1500 mm length, 194mm normal width, 1120 mm height, 500mm width, T-type handle, 2 nos. of rotors, 6-7 kg weight, min 0.18 ha/day capacity			
27	Paddy Weeder	Nos	Purpose	To remove weeds that grow in the row gaps of paddy crops			
			Engine	2 or 4-Stock single cylinder, Air Cooled Engine			
			Type of start	Recoil (Manual Start)			
			Rated Power	0.75 kW or higher			
			Fuel Type	Petrol			

[Handwritten signature]

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९९-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन केन्द्र, कैलाली

धनगढी, नेपाल

28	Cage wheel (For Power Tiller)	Set	Type	Anti-Skid or cage wheel for Power tiller (12-22 hp)			
			Fixing system	Replicable			
			Suitability	For Puddling of soil			
29	Reaper (Power Tiller Drawn)	Set	Type	Power Tiller Mounted			
			Type of Cutting Table	Standing-Typed			
			Cutting Width	1200 mm			
			Cutting Line	4 line			
			Placing Type	Side wise and Banded Placed			
			Matched Power	12-22 hp PT			
Assoceries	Supply with all set of fixing frame, cable and nut bolts and driving V belts						
30	Reaper (Tractor Drawn)	Set	Type	Tractor Mounted			
			Cutting Width	1.6 to 2.05m			
			Cutting Line	7-9 line			
			Placing Type	Side wise			
			Matched Power	35 hp or more			
			Assoceries	Supply with all set of fixing frame, cable and nut bolts and driving V belts			
31	Paddy Thresher(Tr actor Drawn)	Set	Type	Axial flow type			
			Size of threshing drum	30 inch or more			
			Feeding tray	Chute type			
			Blowers	Winnowing and Auxiliary			
			Sieve Type	Oscillating for cleaning purpose			
			Threshing Capacity	2000 -3000 kg/hr			
			Cleaning efficiency	High			
			Matched Power	35 hp or more			
			Assoceries	Complete thresher with assoceries fitted in main base frame with set of pneumatic wheel system with PTO shaft, Tool box and Grease			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन समिति, कैलाली

धनगढी, नेपाल

			gun			
32	Wheat Thresher (Tractor Drawn)	Set	Type	Axial flow type		
			Size of threshing drum	30 inch or more		
			Feeding tray	Chute type		
			Blowers	Winnowing and Auxiliary		
			Sieve Type	Oscillating for cleaning purpose		
			Threshing Capacity	2000 -3000 kg/h		
			Cleaning efficiency	High		
			Matched Power	35 hp or more		
			Assoceries	Complete thresher with assoceries fitted in main base frame with set of pneumatic wheel system with PTO shaft, Tool box and Grease gun		
33	Thresher Multicrop (Rice, Wheat, Mustard, Lentil, etc.) (Tractor Drawn)	Set	Type	Axial flow type		
			Size of threshing drum	30 inch or more		
			Feeding tray	Chute type		
			Blowers	Winnowing and Auxiliary		
			Sieve Type	Oscillating for cleaning purpose		
			Threshing Capacity	2000 -3000 kg/hr		
			Cleaning efficiency	High		
			Matched Power	35 hp or more		
			Assoceries	Complete thresher with assoceries fitted in main base frame with set of pneumatic wheel system with PTO shaft, Tool box and Grease gun		
34	Super Seeder	Set	Make, Model, Country of	Any		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विंशष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन गाई, कैलाली

धनगढी, नेपाल

			Manufacture			
			Type	Zero till Seed drill		
			Material	Stainless Steel		
			Working Width	7 Feet		
			Nos of Blade	Minimum 48		
			Type of Blade	JF/ LC Type		
			Thickness of Blade	7-8 mm		
			Gear box	Multi speed		
			Seed /Fertilizer Mechanism	Aluminium Fluted Roller		
			Side Drive	Gear Drive, Levelling Roller or Pressing Roller		
			Nos of Tines	≥10		
			Seed Capacity	Minimum 100 kg		
			Fertilizer Capacity	Minimum 110 kg		
			Hp Required	≥ 50 Hp		
			Weight	≥ 800 kg		
			Instruction	All signs instruction in the machinery shall be in English		
			Proven Performance	Shall Provide the manufacture's data for proven performance		
			Manuals	One copy of the operator and owner's instruction and maintenance manual in English shall be supplied		
			Tools	A set of tools as required for general maintenance shall be supplied		
			Color	Standard		
			Warrenty	Manufacturer shall provide a minimum of two-year warranty after acceptance		
35	Seed Cum Fertilizer Drill	Set	Type	Multi crop specific (wheat, rice, lentil)		
			Nos of tine	7 feet, 9 tines		

[Handwritten signature]

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com

[Handwritten signature]



नेपाल सरकार

कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन प्काइ, कैलाली

घ-११६, नेपाल

(Tractor Drawn)			Seed Metering	Two or three boxes in which atleast one seed metering have fluted roller or rotor type or vertical rotating disc with cell on its periphery		
			Fertilizer Metering	Box having fluted roller or verticle rotor type or sliding orifice type		
			Seed Hopper Capacity	≥ 40 kg		
			Fertilizer Hopper Capacity	≥ 50 kg		
			Hitching system	3-point linkage hitching system		
			Depth Control	Two nos of adjustable wheel		
			Types of Tines	Inverted "T" (Zero till) tine		
			Drive driving wheel	At front and in center of planter with lungs on conference		
			Matched Power	35 hp or more		
36	Seed Grading Machine	Set	Purpose	Machine suitable for grading rice, wheat seeds		
			Grading Capacity	500 kg per hour or more		
			Power	2 Hp, Single phase, Electric Motor		
			Assoceries	Winnowing fan, one set of sieve for cleaning purpose with necessary elevator and required belts		
37	Bund Former	Nos	Type	Tractor Driven		
			Height	3 feet		
			Frame Width	5 feet		
			Material	Heavy duty iron		
			Nos of Discs	2		
			Matched Power	35-45 Hp		
			Purpose	To form bunds to make easy for irrigation purposed in large plots		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, मेशिनीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

38	Electric Motor	Nos	General	Electric motor suitable for agricultural purpose		
			Type	Centrifugal Monoblock		
			Motor Horsepower	1 HP/ 2 HP/ 3 HP		
			Motor Phase	Single		
			Power Rating	0.75KW for 1 HP/ 1.5 KW for 2HP / 2.2KW for 3 HP		
			Voltage Range	180 -240 V		
			Speed	Atleast 2600 Rpm		
			Power Source	Electric		
			Head	Minimum 10 meter		
			Frequency	50-60 Hz		
			Material	Standard material		
			Size	40mm*40mm for 1 HP 75 mm*75mm for 2 HP 80mm*80mm for 2 HP 100mm*100mm for 3 HP		
			Assoceries	GI bend pipe of each size - 1 pcs and GI bend Nipple of each size -1 pcs		
Instruction	All signs and instructions in an electric motor shall be in English/ Nepali					
Proven Performance	The bidder shall provide the manufacturer's data of performance of the unit to include efficiency					
39	Diesel Pump Set	Set	General	Diesel Pumpset suitable for farmers in Terai districts of Nepal, low maintenance and easy access of spare parts Kailali District		
			Cooling Method	Water Cooled		
			Engine horsepower	5 HP ,8 HP		
			Speed	At least 1400 RPM		
			Bore *Stroke Size	Minimum 75mm * 60mm		
			Head	At least 10 m		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्जी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यालय, मकौडै, कैलाली

धनगढी, नेपाल

		Number of Cylinder	1		
		Fuel Capacity	At least 4 Liter		
		Inlet * Outlet	80mm*65mm, 80mm*80mm, 100mm*100mm		
		Fuel	Diesel		
		Weight	Pump set net weight should be at least 80 Kgs		
		Color	Standard		
		Warrenty	Supplier shall provide at least 1 year of warranty after acceptance		
		Other essential (1 Set)	Mechanical Seal, GI bend Pipe - 1 pc., GI bend Nipple -1 pcs, GI Pump Nipple-1 pcs, Tools 1-set, Starting Handle -1 pcs, Dhura and wheel (Trolley Wheel set)-1 set, 1 copy of operators and owners instruction in English/Nepali shall be supplied with each Pumpset		
40	2HP Paddle Aerator Set	Type	Surface floating		
		Motor	2 Hp 36 Slot Motor Iron Cast ,220 V		
		Motor wire box and fan cover	Plastic		
		Reducer, Shaft, Frame	4 Spline Plastic Reducer, Stainle . Steel Shaft Solid, Single Welded Stainless-Steel Frame		
		Paddle	2,4 and 6		
		Float	3 *1630 mm large float		
		Aeration Capacity	more than 2.85 kg/hr		
		Motor Power	2 HP (1.5 KW)		
		Aerobic Capacity	>=1.8kg/h		
		Impeller Speed	100 r/min		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pma@piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

41	Fountain aerator	Set	Weight	60 Kg
			Phase	Single phase, 220 V
			Motor	2 Hp
			Head	6 m
			Frequency	50 Hz
			Flow Rate	400 -567 lit/min
			Oxygenation Capacity	1.5 -1.85 Kg O2/hr
			RPM	3000 or 1500 R I M
42	Fish Drying/ Dehydrator Machine (Fish Dryer)	Set	Make/Brand & Model	Any
			Country of manufacturer	Any
			Capacity	70kg-150kg
			Heating Media	Electric Heating/ 9kw
			Motor power required	>= 0.5 HP
			Number of Tray	at least 20
			Operating Temperature	25°C-100°C
			Speed	>=1140 rpm
			Voltage, Frequency and Phase required	220V, 50 Hz, 3 Phase
			Material of construction	MS section structural framework
			Color	Standard
Automation Grade	Semi-Automatic			
Warranty	1-year manufacturing defects			
43	Pellet Making Machine	Set	Make, Model and Brand, Country of Manufacture	Any
			Output Product Type	Sink
			Motor Power	>=2 HP
			Motor Type	Single /Three Phase
			Rated Power Voltage	220V-440V
			Revolution Speed	1400-3000 rpm
			Capacity	>=50 kg per hour
Pellet Size	4mm-6mm			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्ध्री विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

			Certification	Respective country verified certification			
44	Leveler	Set	Type	Tractor Drawn suitable for two-way levelling with three-point linkage to mount on tractor			
			Cutting width	minimum 1000 mm			
			Cutting blade thickness	minimum 10 mm			
			Tractor Matched Power	35 hp or more			
45	Plastic Crate	Nos	Material	Plastic			
			Color	Standard			
			Load Capacity	25 kg or more			
			Weight	1.5 kg or less			
46	Submersible Pump (Laltin Type)	Nos	Make, Model and Brand	Any			
			Country of Manufacturer	Any			
			Purpose	To remove sewage water from fish pond			
			Type	Open well submersible water pump			
			Power / Size	1 HP/2", 1.5 HP/ 3", 2 HP/4"			
			Current	9 amp or less			
			Head Range	6 m or above			
			Power Required	Single Phase, 160-240V			
			Frequency	50 Hz or above			
			Outlet Diameter	50 mm, 75mm, 100mm			
Discharge Rate	200 l/min						
47	Double door Freeze	Set	General	A deep freezer keeps larger amount of food frozen for longer periods of time and offers more space and capacity			
			Capacity	500 L			
			Temperature	>-180 °C			
			Voltage	200-240 V			
			Frequency	50 HZ			
			Phase	Single			
			Refrigerant	R 290			
PUF thickness	At least 50 mm						

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छा विभाग मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाई, कैलाली

धनगढी, नेपाल

		Nos. of Basket	At least 2
		Inside body layer	Aluminum
		Dimensions	Min 700*600*800 mm
		Color	Standard Color
		Warranty	Supplier shall provide at least 1 year of warranty after acceptance
		Proven Performance	The bidder shall provide the manufacturer's data of performance of the unit to include efficiency
		Purpose	To measure dissolved oxygen in the water with application in agriculture, fish farming, quality control etc
		Range	0-40 mg/L 0-300% Temperature of 0-40 degree Celsius
		Resolution	0.1 mg/L 0.10% Temperature of 0.1 degree Celsius
		Accuracy	±1.5% F. S Temperature of ±0.5-degree Celsius
		Calibration Mode	One Point or two-point automatic calibration :0% in anaerobic water or 100% calibrate in the air
		Response Time	less or equal to 45 second
		ATC	0-50 degree Celcius
		Salinity Compensation	No
		Height Compensation	No
		Battery	Low battery indicator
		Backlight	Optional
		Shut off	About 15 minutes
48	Pen Type D.O (Dissolved Oxygen) Meter	Set	

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

49	Automatic Fish Feeder	Set	Power	3 *1.5 V			
			Dimension	183*37*37			
			Weight	80 gm			
			Purpose	To dispense feed to fish at preset time in measured quantities in fish farming			
			Type	Automatic			
			Power Source	Electricity			
			Material	Iron			
			Color	Red			
			Voltage	AC, 220 Volt			
			Power	120 Watt			
			Volume	65 kg/ 80 kg /120 kg			
			Feeding Shooting Distance	3 to 20 meters			
			Application	Carp			
			Feature	Eco- Friendly			
50	Water pH meter-ATC	Set	Purpose	Use to measure measure temperature of water in fish Farming			
			Range	0 to 14 pH			
			Resolution	0.1 PH			
			Accuracy	±0.1 pH			
			Battery	3 *1.5 V			
			Temperature Compensation	0 to 60 degree Celcius			
			Operating Temperature	0 to 60 degree Celcius			
			Calibration	1 Point Manual Calibration			
			Dimension (mm)	150*29*20			
			Weight	50 gm			
51	Cow Mat	Set	Description	Heavy duty interlocking or non-interlocking high-quality rubber cow mat having size 7*4 feet and 6*4 feet, thickness not less than 17 mm, weight not less than 36 kg			

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार

कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

52	Milk Analyzer	Set	Function	Display fat, Solid not Fats (SNF), added water, added additives
			Measurement Parameters	Fat range: 0-10%, Resolution:0.1%, Accuracy: $\pm 0.1\%$; SNF range:4-10%, Resolution:0.2%, Accuracy :0.2%; Added water range:0-100%, Resolution :0.1%, Accuracy: $\pm 0.1\%$
			Measuring Time	30 second or less
			Milk Sample	25 ml or less
			Display	2-line 20 character
			Operating voltage	220-240 V, Single phase 50 Hz, Dc input 12 V
			Software	Software for automatic collection of information for analyzer and weighing scale, multi window running, saving data, prepare farmer milk procurement and other accounting transactions
53	Chilling Vat	Set	Cooling Capacity	500 lit or 1000 lit of milk from 35 degree Celsius to 4 degree Celsius in four-hour time
			Material Fabrication	SS 304 Grade
			Thickness of SS sheet	Inner Thickness 1.5-2 mm, outer thickness 1.2-1.6 mm
			Shape of Chilling Vat	Rectangular /Circular/Elliptical
			Electric Supply	Single or Three phase with agitator 28-40Rpm with motor, gear box, SS shaft and blades
			Insulation	75 mm or thicker PUF insulation, temperature less than 2 degree Celsius by 24 hr

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन फाँड, कैलाली

धनगढी, नेपाल

			Outlet Valve	1.5 inch (38 mm), Butterfly valve		
			Cover for chilling vat	SS cover		
			Cooling system	Direct expansior		
			Type Refrigerant	R404a/134a/407c		
			Compressor	at least 2 ton capacity ,1 /2 number hermatic compressor		
			Condenser	Air cooled condenser with expansion valve, filter dryer,liquid receiver etc		
			Evaporator/ cooling unit	Dimple Plate type		
			Control Panel	Dust and moisture proof tank /wall mounted electronic control panel,manual and auto mode operataion,MCB. contractors, overload relays, electronic thermostat with indicator, HPLP switch etc.,		
			Milk Volume Measurement	At least 20-25 lit graduation SS dip stick		
54	Digital Weighing Machine(10 0kg)	Pcs	Description	Platform type Digital Weighing scale , Capacity 0-100 kg, Tolerance error ± 20 grams ,at least 280mm*280mm platform size, Display :LED, Red display,Inbuilt battery auto charging facility		
55	Digital Weighing Machine (200 kg)	Pcs	Description	Platform type Digital Weighing scale, Capacity 0-200 kg, Tolerance error ± 20 grams ,at least 450mm*450mm platform size, Display :LED, Red		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल

				display, Inbuilt battery auto charging facility		
56	Digital Weighing Machine (300 kg)	Pcs	Description	Platform type Digital Weighing scale, Capacity 0-300 kg, Tolerance error ± 20 grams, at least 600mm*600mm platform size, Display :LED, Red display, Inbuilt battery auto charging facility		
57	Digital Weighing Machine (500 kg)	Pcs	Description	Platform type Digital Weighing scale, Capacity 0-500 kg, Tolerance error ± 20 grams, at least 600mm*600mm platform size, Display: LED, Red display, Inbuilt battery auto charging facility		
58	Digital Grain Moisture meter	Pcs	Description	Measuring moisture of seed grain, Non Customized, Agriculture lab equipment, Cup type, Voltage 9 V, Measuring Range 3-35%, Accuracy of $\pm 0.50\%$, Measurement time ≤ 10 S		
59	Bag Sewing Closing Machine	Set	Description	Single thread locked chain stitch, Light weight design of approx 4.5 kg, Sewing speed of 800 stitches /min, Standard sewing needle, Motor of 220 V/50 Hz		

[Signature]

[Signature]

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन योजना, कैलाली

धनगढी, नेपाल

60	Continuous Band Sealer	Set	Description	Main body made up of stainless steel with sealing mode in centre and in 3 side , can sealed Polyethylene(PE) , Polypropylene (PP) and Laminations with moterized rubber conveyer with speed control capable of speed upto 12 mtr/min and customizable, horizontal module having conveyer height 110 mm-254 mm, motor capacity 600 to 1500 watt, single phase 220V/50 Hz electric operated with temperature range from 0 to 300 degree celsius		
61	Impulse Band Sealer	Set	Description	Main body made up of stainless steel with sealing width 3 to 5 mm and length 8 to 12 inch can sealed Poly ethylene (PE), Polypropylene (PP) horizontal module motor capacity 500 to 900-watt, single phase 220V/50 Hz electric operated with temperature range from 0 to 300 degree celsius		
62	Tripal	Pcs		UV protection, Multi-layer, standard color, and various sizes (12 feet*18 feet, 18 feet*24 feet, 18 feet *30 feet)		
63	Hermetic (PICS) Bag	Pcs		Three-layer (Inner two layer and one outer layer), Chemical free and various sizes (25 kg, 50 kg, 100 kg etc.)		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यालय, एकाइ, कैलाली

धनगढी, नेपाल

कृषि कार्यको लागि जी आई पाताको मेटल बिन (तयारी भकारी) को स्पेसीफिकेसनको विवरण

"ए" सेट

क्र स	मेटल बिनको क्षमता (के जी)	मेटल बिनको भिन्नि व्यास (से. मि.)	मेटल बिनको तयारी भिन्नि उचाई (से.मि.)	जी आई पाता (Gauze)	मेटल बिनको तौल (के.जी)	एकाइ	भ्याट सहितको दर रेट (ने रु)	कैफियत
१	262.0	61.0	121.0	23-24	14.00	गोटा		
२	245.0	59.0	121.0	23-24	13.30	गोटा		
३	228.0	57.0	121.0	23-24	12.50	गोटा		
४	213.0	55.0	121.0	23-24	11.80	गोटा		
५	198.0	53.0	121.0	23-24	11.00	गोटा		

"बि" सेट

क्र स	मेटल बिनको क्षमता (के जी)	मेटल बिनको भिन्नि व्यास (से. मि.)	मेटल बिनको तयारी भिन्नि उचाई (से.मि.)	जी आई पाता (Gauze)	मेटल बिनको तौल (के.जी)	एकाइ	भ्याट सहितको दर रेट (ने रु)	कैफियत
१	196.0	61.0	90.50	23-24	11.00	गोटा		
२	184.0	59.0	90.50	23-24	10.50	गोटा		
३	170.0	57.0	90.50	23-24	10.00	गोटा		
४	160.0	55.0	90.50	23-24	9.50	गोटा		
५	148.0	53.0	90.50	23-24	9.00	गोटा		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यान्वयन एकाइ, कैलाली

धनगढी, नेपाल



"सी" सेट

क्र.सं.	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको भित्री व्यास (से.मि.)	मेटल बिनको तयारी भित्री उचाई (से.मि.)	जी आई पाता (Gauze)	मेटल बिनको तौल (के.जी.)	एकाइ	भ्याट सहितको दर रेट (ने.रु.)	कैफियत
१	148.0	53.0	90.50	23-24	9.00	गोटा		
२	136.0	51.0	90.50	23-24	8.50	गोटा		
३	124.0	49.0	90.50	23-24	8.00	गोटा		
४	112.0	47.0	90.50	23-24	7.50	गोटा		
५	75.0	38.0	90.50	23-24	6.00	गोटा		

(ख) आपूर्तिकर्ता / सप्लायर / फर्म सम्बन्धि विवरण

आपूर्तिकर्ता / सप्लायर / फर्मको नाम	
ठेगाना	
सम्पर्क नं. / इमेल	
फर्म दर्ता मिति	

(ग) आपूर्तिकर्ता / फर्मको आधिकारिक व्यक्तिको विवरण

आपूर्तिकर्ता / फर्मको आधिकारिक व्यक्तिको नाम	
ठेगाना	
सम्पर्क नं. / इमेल	

(घ) पछिल्लो तिन आर्थिक वर्षको औसत वार्षिक कारोबारको विवरण

आ.व.	रकम (रु.)	
	अंकमा	अक्षरमा
२०८१/८२		
२०८०/८१		
२०७९/८०		
औसत वार्षिक कारोबार		

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com



नेपाल सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
राष्ट्रिय कृषि आधुनिकीकरण कार्यक्रम
कार्यक्रम कार्यालय एकाइ, कैलाली

धनगढी, नेपाल

(ड) कार्यअनुभव सम्बन्धि विवरण पछिल्लो विवरण (पछिल्लो तिन आर्थिक वर्ष)

आ.व.	आपूर्ति गरिएको निकाय	आपूर्ति गरिएको यन्त्र उपकरण सम्बन्धि विवरण		कारोबार रकम रु	कैफियत
		नाम स्पेशिफिकेसन	परिणाम		
२०८१/८२					
२०८०/८१					
२०७९/८०					

आपूर्तिकर्ता तर्फको तर्फवाट

हस्ताक्षर:-

नाम :

पद:

ठेगाना :

सम्पर्क नं.

छाप:


गोविन्दराज जासवाल
वरिष्ठ कृषि अधिकृत

आत्मनिर्भर अर्थतन्त्रका लागि कृषिको आधुनिकीकरण, विशिष्टीकरण र औद्योगिकीकरण

फोन नं. ०९१-५२२९९७

इमेल: pmamp.piu.kailali@gmail.com